




**Swanstrom
Tools USA**



Ergo Plastic Cutters

| Part Number | Head Type | Edge | Overall Length | Body Width | Cutter Length |
|-------------|-----------------------|----------|----------------|------------|---------------|
| S44 | Oval Slim w/Stop | SFSS.000 | 4.8 | 0.45 | 0.41 |
| S44E | Oval Slim w/Stop | SFSS.000 | 5.65 | 0.45 | 0.41 |
| S55 | Oval Slim w/Stop | SFSS.000 | 4.9 | 0.51 | 0.51 |
| S55E | Oval Slim w/Stop | SFSS.000 | 5.8 | 0.51 | 0.51 |
| S55EE | Oval Slim w/Stop | SFSS.000 | 6.5 | 0.51 | 0.51 |
| S58 | 80 Degree Angle Round | SFSS.000 | 5 | 0.51 | 0.51 |
| S58E | 80 Degree Angle Round | SFSS.000 | 5.85 | 0.51 | 0.51 |
| S62E | Oval Slim w/Stop | SFSS.000 | 6.55 | 0.62 | 0.97 |
| S63 | Oval Slim w/Stop | FFL.002 | 5.3 | 0.62 | 0.5 |
| S63E | Oval Slim w/Stop | FFL.002 | 6.25 | 0.62 | 0.5 |



| | | | | | |
|----------------|----------------------------|-----------------|-------------|-------------|-------------|
| S64 | Oval Slim w/Stop | FFL.002 | 5.4 | 0.62 | 0.7 |
| S64E | Oval Slim w/Stop | FFL.002 | 6.35 | 0.62 | 0.7 |
| S65 | Oval Slim w/Stop | SFSS.000 | 5.4 | 0.62 | 0.7 |
| S65E | Oval Slim w/Stop | SFSS.000 | 6.35 | 0.62 | 0.7 |
| S66 | Oval Slim w/Stop | SFSS.000 | 5.7 | 0.62 | 0.97 |
| S66E | Oval Slim w/Stop | SFSS.000 | 6.6 | 0.62 | 0.97 |
| S66E-25 | Oval Slim 25 Degree | SFSS.000 | 6.45 | 0.62 | 0.97 |
| S66E-40 | Oval Slim 40 Degree | SFSS.000 | 6.35 | 0.62 | 0.8 |
| S66E-90 | Oval Slim 90 Degree | SFSS.000 | 5.95 | 0.62 | 0.75 |
| S66ENN | Taper Slim | SFSS.000 | 6.5 | 0.62 | 0.97 |
| S66NN | Taper Slim | SFSS.000 | 5.7 | 0.62 | 0.97 |
| S69E | Long End Cut | SFSS.000 | 6.8 | 0.62 | 0.35 |



| | | | | | |
|---------|------------------------|----------|------|------|------|
| S72 | Oval Slim w/Stop | SFSS.000 | 6.5 | 0.71 | 0.98 |
| S72E | Oval Slim w/Stop | SFSS.000 | 7.85 | 0.71 | 0.98 |
| S77 | Oval Slim w/Stop | SFSS.000 | 7.85 | 0.71 | 0.98 |
| S77E | Oval Slim w/Stop | SFSS.000 | 7.85 | 0.71 | 0.98 |
| S77E-25 | Oval Slim 25 Degree | SFSS.000 | 7.76 | 0.71 | 0.85 |
| S77ECV | Concave | SFSS.000 | 7.85 | 0.71 | 0.98 |
| S77ECX | Oval Convex | SFSS.000 | 7.85 | 0.71 | 0.98 |
| S810E-1 | Oval | BV.005 | 8 | 0.9 | 1.2 |
| S845E | Oval Hlev EN | FFL.002 | 7.95 | 0.76 | 0.55 |
| S860E | Oval 60 Degree Hlev EN | FFL.002 | 7.65 | 0.76 | 0.46 |
| S88E | Oval Slim w/Stop | SFSS.000 | 8.05 | 0.76 | 1.25 |
| S88E-40 | Oval Slim 40 Degree | SFSS.000 | 7.76 | 0.76 | 1.02 |



| | | | | | |
|---------|------------------------|----------|------|------|------|
| S88E-80 | Oval Slim 80 Degree | SFSS.000 | 7.02 | 0.76 | 0.95 |
| S890E | Oval 90 Degree Hlev EN | FFL.002 | 7.33 | 0.76 | 0.4 |
| S99E | Oval Slim w/Stop | SFSS.000 | 9.75 | 0.9 | 1.6 |
| S99E-40 | Oval Slim 40 Degree | SFSS.000 | 9.7 | 0.9 | 1.5 |
| S99E-80 | Oval Slim 80 Degree | SFSS.000 | 8.39 | 0.9 | 1.5 |



| Ergo Plastic Grippers | | | | | |
|-----------------------|--------|------------------|---------------------|----------------|------------|
| Part Number | Type | Head Shape | Edges | Overall Length | Body Width |
| BC6 | Plier | Curve Nose Short | Serrate / | 6.54 | 0.62 |
| BC9 | Plier | Curve Nose Long | Serrate X | 8.64 | 0.7 |
| BCR9 | Plier | Curve Nose Rlvd | Serrate X | 8.69 | 0.7 |
| BD6 | Cutter | Oval | Flush with/set stop | 6.84 | 0.62 |
| BD8 | Cutter | Oval | Flush with/set stop | 7.84 | 0.76 |
| BDS8 | Plier | Diagonal Oval | Serrate / | 7.84 | 0.76 |



| Code | Type | Jaw Shape | Edge Type | Weight (kg) | Length (mm) |
|------|----------------------|-----------------|----------------|-------------|-------------|
| BG8 | Plier | Oval Curve | Serrate / | 7.84 | 0.76 |
| BL6 | Plier | Short Ball Tip | Serrate X | 6.53 | 0.62 |
| BL8 | Plier | Medium Ball Tip | Serrate X | 7.84 | 0.7 |
| BL9 | Plier | Long Ball Tip | Serrate X | 8.84 | 0.7 |
| BS6 | Cutter/Gripper Combo | Short Ball Tip | Serrate X | 6.58 | 0.62 |
| BS9 | Cutter/Gripper Combo | Long Ball Tip | Serrate X | 9.14 | 0.7 |
| BSL6 | Cutter/Gripper Combo | Lineman Small | Serrate X | 6.63 | 0.62 |
| BSL8 | Cutter/Gripper Combo | Lineman | Serrate X | 8.34 | 0.7 |
| BT6 | Grabber | Oval | Toothed 2 Ways | 6.8 | 0.62 |
| BT8 | Grabber | Oval | Toothed 2 Ways | 8.04 | 0.76 |